



winbase

WINBASE ELECTRONICS CORP., LTD.

February 2005



Specializing in digital electronics for many years, we are now one of China's largest OEM/ODM providers, with annual sales volume exceeding US\$100 million. We manufacture exclusively for export, serving buyers in North and South America, Europe, Australia, Asia, the Middle East, and Africa.

Operations at our South China facilities are ISO 9001:2000 certified. And all our products meet or exceed the quality requirements of the National Electronics Industry Department. Modern assembly line, multiple testing procedures, and strict quality control methods contribute to the high quality of our products.

Choose from a wide range of DivX-compatible DVD players, DVD recorders, portable DVD players, LCD TVs, PDP TVs, and home theater systems. Our DVD products, in particular, are selling well in overseas markets for their excellent performance and ease of use.

Factory expansion and operational process enhancements are in the works so we can give you better products and provide you with better service. Contact us today to learn more about the benefits of sourcing with us.



PRODUCTS

DVD RECORDER

DW9922(VPS ,SHOWVIEW)	1
DW9920 (DIVX SUPPORTED)	
DW9921(YES DVD)	
DW9918 (USB)	
DW9915	
DW9909	
DW9910	
DW9916 (CARD READER)	3
DW9919 (VCR COMBO)	4
DW9917 (HDD)	5
DW9927 (HDD)	6
DW9916R (RADIO TUNER + HOME THEATER)	7

PORTABLE DIVX DVD PLAYER

DL371	7"(DIVX)	8
DL333D	7"(DIVX)	9
DL373D	7"(DIVX)	10
DL373DC	7"(DIVX and CARD READER)	11
DL383DC	8" (DIVX and CARD READER)	12
DL385	8" (DIVX and CARD READER and USB)	13
DL3103	10.2" (DIVX, CARD READER and USB)	14

MPEG4/DIVX DVD PLAYER

Compact model	DV910	15
	DV912	
Standard	DV961	16
	DV963	
	DV960	
	DV967	
	DV971	17
	DV965	
	DV969	
	DV939	
Special model	DV977 (colourful panel)	18
	DV991 (Slot-in)	19
	DV993	
	DV995	
	DV968C (CARD READER)	20
	DV975C	
	DV971C	
	DT9904(FM/AM Radio)	21
DV907 (SACD)	22	

DV971H (DVI output)	23
DV908 (HDMI + SACD)	24
DV997(Slot-in + CARD READER + USB port)	25
DV999(Slot-in + HDMI + SACD + HiFi Audio)	26

MINI DIVX DVD COMBO

Stereo	HF831	27
	HF830	
2.1 channel	CS300	28
	CS310	29
	CS330	
	VS500	30
	VS600 (Slot-in,Radio tuner)	31
	VS1000 (Slot-in,Radio tuner,Card reader USB port)	32

MPEG4/DIVX DVD RECEIVER

DAV-933 (10W x 5+20W)	33
DAV-935 (10W x 5+20W)	34
DAV-938 (25W x 5+50W)	35
DAV-939 (25W x 5+50W)	36

5.1 CH SPEAKER SYSTEM

MA-900,MA850,MA950,MA1000 (Picture)	37
MA-900,MA850,MA950,MA1000 (Specification)	38
MA-1000 (with Digital decoder and FM/AM tuner)	39

HOME THEATER

AMPLIFIER	AV230	40
	AV215T	41
	AV310T	42
SPEAKERS	Phenix 310 (SP021 + SP621)	43
	Phenix 230 (SP230 + SP623)	44
	Phenix 302 (SP302 + SP638)	45
	Phenix 221 (SP138 + SP638)	46

FLAT TV

LCD TV	LT1703	47
	LT2003	48
	LT2007 (Slot-in DIVX DVD)	49
	LT2008	50
	LT2703	51
PDPTV	PT4203	52

DVB

DVB - T	53
---------	----

DVD RECORDER



PORTABLE DVD PLAYER WITH MPEG4/DIVX DL333D



- ▷ Play DVD, MPEG4/DIVX, CD, HDCD, CD-R, CD-RW, Kodak Picture CD etc.
- ▷ 7" TFT 16:9 LCD screen;
- ▷ Large capacity lithium-polymer battery rechargeable.

- General Features:**
- Play DVD, MPEG4/DIVX, CD, HDCD, CD-R, CD-RW, Kodak Picture CD etc.
 - 7" TFT 16:9 LCD screen;
 - Built-in Electronic Anti-shock Circuits;
 - Wide range power supply supported;
 - Full function remote control;
 - PAL/NTSC compatible;
 - Parental control;
 - Automatic screensaver;
 - Multi-dubbing/angle/subtitle supported;
 - Large capacity lithium-polymer battery rechargeable.

- Mpeg4/Divx:**
- Mpeg4 Video:**
- Quality over Bit-Rate
1.5~2Mbps can achieve DVD quality
 - DivX Support
DivX 4 and 5 ASP
DivX 3.11
DivX 5.2
OGG file
Multi-language subtitle
DRM (Digital Rights Management)
 - ISO 14496 ASP
 - Xvid

- Audio:**
- Built-in Stereo speakers;
 - Built-in Dolby Digital decoder, DTS digital out;
 - 96KHz/24bit audio D/A converter.

- Video:**
- 108MHz/12bit video D/A converter
 - PAL/NTSC video output

- Battery:**
- Lithium-polymer battery rechargeable;
 - 2.5 hours playback after fully charged;

- Connectors:**
- S-video out;
 - Video out;
 - Video in;
 - Audio in;
 - Audio/optical out;
 - 9V DC in;
 - Headphone out.

- Standard accessories:**
- User's manual one;
 - Remote control one;
 - Audio cord one;
 - Video cord one;
 - S-video one;
 - Lithium-polymer rechargeable battery one;
 - A/C power adapter one.

- Main unit dimension and net weight:**
- Car lighter adapter cord;
 - Headphone;
 - Carrying/travelling bag.

- Optional accessories:**
- 205mm x 149mm x 28.4mm(W.D.H; without battery)
 - 205mm x 149mm x 42.5mm(W.D.H; with battery)
 - 784g(without battery)

- Giftbox dimension and weight:**
- 284mm x 218mm x 129mm(W.D.H)
 - 2.3KG(including packing inside and accessories)

- Master box dimension and weight:**
- 468mm x 405mm x 325mm(W.D.H)
 - 15.6KG(netweight); 16.6KG(grossweight)
 - 6pcs giftboxes packed in one master box.



General Features

- Plays DVD-Video, Video CD, SVCD, Audio CD, HDCD, CD-R, CD-RW, JPEG and Kodak Picture CD
- SLOT-IN Mechanism
- FM / AM Radio
- Matrix LCD display
- Automatic Screensaver
- Clock / setup
- Parental Control Function
- Menu Driven Setup Screen
- Super Error Correction Mechanism with Twin Laser

MPEG4/DivX

- Support DivX 3.11, DivX 4 and DivX 5 ASP
- ISO 14496 ASP
- DivX subtitle

Video

- 108MHz 12 Bit Video D/A Converter
- NTSC/PAL Video Output
- Progressive-Scan Output (Y, Pb, Pr)

Audio

- Dolby Digital Down-mixed 2-Ch Stereo (L,R)
- Dolby Digital decoding and DTS digital out
- Dolby Digital / DTs / LCPM Bitstream Output
- 192 kHz Sampling Frequency, 24-Bit High Quality Audio DAC
- Sound Field and EQ Mode Selection
- Bass/Treble control
- Balance/separate channel level
- Loudness Function
- Speaker Output Power: SW: 30W (RMS, THD=10%, 6ohm, 50Hz)
SP: 15W x 2 (RMS, THD=10%, 8ohm, 1KHz)
- Stereo Headphone driver

Radio

- FM/AM Digital Tuning Capable of Saving up to 20 FM and AM Stations Respectively
- FM Stereo
- Auto/Manual Station Searching
- RDS(optional)

Connectors

- Analog (Mixed 2 Ch) Stereo (Left, Right) Audio output X1
- S/PDIF (IEC-958) Coaxial Digital Audio output X1
- S/PDIF (IEC-958) Optical Digital Audio output X1
- Composite Video output X1
- S-Video output X1
- Component Video (Y, Pb, Pr) output X1
- SCART output X1
- Stereo Headphone Output X1
- AUX L/R audio input X1

Accessories

- User's manual one;
- Remote control one;
- Audio cord one;
- Video cord one;
- Warranty card
- Battery for remote control

5.1CH ACTIVE SPEAKERS WITH DECODER MA-900, MA850, MA950, MA-1000

Descriptions	SPEAKERS	MA-900	MA-850	MA-950	MA-1000
Output power (each channel THD<10%, 1kHz)	Front L, R, Rear Surround	6W / 4Ω	10W / 4Ω	10W / 4Ω	15W / 6Ω
	Subwoofer	30W / 8Ω	25W / 8Ω	25W / 6Ω	45W / 6Ω
Frequency response	Front L, R, Rear Surround	20Hz~15kHz	180Hz~20kHz	180Hz~20kHz	113Hz~20kHz
	Subwoofer	50Hz~250Hz	45Hz~250Hz	45Hz~250Hz	20Hz~270Hz
Distortion (1W)	Front L, R, Rear Surround	< 1%	< 1%	< 1%	< 1%
	Subwoofer	< 1%	< 1%	< 1%	< 1%
Power consumption	/	<150W	<150W	<150W	<300W
Max output power	Front L, R, Rear Surround	15W	20W	20W	30W
	Subwoofer	80W	80W	80W	80W
Sensitivity	Front L, R, Rear Surround	86dB	85dB	86dB	86dB
	Subwoofer	87dB	86dB	86dB	86dB
Dimension (W X D X H)	Front speakers	90 × 102 × 120mm	80 × 101 × 165mm	135 × 172 × 224mm	110 × 115 × 180mm
	Center speakers	213 × 102 × 90mm	80 × 101 × 165mm	213 × 121 × 92mm	110 × 115 × 180mm
	Rear surround speakers	90 × 102 × 120mm	80 × 101 × 165mm	92 × 121 × 122mm	110 × 115 × 180mm
	Subwoofer	180 × 285 × 354mm	150 × 315 × 350mm	283 × 165 × 388mm	168 × 300 × 395mm
COLOUR	Front L, R, Rear Surround	Silvery/Dark grey/Black	Silvery/Dark grey/Black	Silvery/Dark grey/Black	Pearl white
	Subwoofer	Silvery/Dark grey/Black	Silvery/Dark grey/Black	Silvery/Dark grey/Black	Silvery
Net Weight	Front speakers	0.45kg	0.40kg	1.60kg	0.67kg
	Center speakers	0.75kg	0.40kg	1.20kg	0.67kg
	Rear surround speakers	0.45kg	0.40kg	0.60kg	0.67kg
	Subwoofer	7.2kg	7.2kg	5.2kg	5.9kg
Packing	Carton box size	450 x 360 x 377mm	508 x 386 x 320mm	485 x 447 x 390mm	740 x 468 x 403mm
	Gross weight(carton box)	12.5kg	10.5kg	15.7kg	26.8kg



- ◆ 27" color LCD display module of high brightness and high contrast
- ◆ 2-in-1 TV/video receiver and computer monitor
- ◆ PAL BG/DK/I TV receiving system
- ◆ Support PAL/NTSC/SECAM multi-system video formats
- ◆ Self-adaptive four-line comb filter
- ◆ Self-adaptive motion compensation progressive scanning
- ◆ Universal NICAM
- ◆ Realsonic super sound effect
- ◆ Five-band EQ sound effect
- ◆ Static picture
- ◆ 16: 9/4: 3 conversion
- ◆ PIP, POP and 3-picture display
- ◆ 9-picture TV preview
- ◆ Chinese/English OSD operation menu
- ◆ Wide angle of view (about 180 degrees)
- ◆ Free from X-ray radiation

FLAT TV LT2703

Output terminals

- ◆ Composite video out (RCA)*1
- ◆ Audio out (L/R) *1

Parameters

TV receiving system	PAL DK/BG/I
Color system	PAL/NTSC/SECAM3.58/4.43/PAL60
Display resolution	1280*720@60Hz
Pixel point	0.1555(H)*0.4665(V)mm
Color number	16.77 million
Brightness	500cd/ŪF
Contrast	500: 1
Screen aperture ratio	16: 9

Input terminals

- ◆ DVI_I input *1 (PC) audio in (L/R)*1
- ◆ YCrCb/YPrPb in (RCA*3)*2
- ◆ (YCrCb/YprPb) audio in (L/R)*2
- ◆ Composite video in (RCA)*4
- ◆ (Video/S_Video) audio in (L/R)*4
- ◆ Super video in *2

winbase

WINBASE ELECTRONICS CORP., LTD.

Add: #28 BuBuGao Road, Wusha Chang'an, Dongguan, Guangdong, China

AMERICA / UK

+86-769-5390567

+86-769-5393219

+86-769-5428968-618

EUROPE

+86-769-5392132

+86-769-5392137

+86-769-5428968-333

+86-769-5426631

GERMANY / ASIA / AUSTRALIA

+86-769-5300691

+86-769-5393129

+86-769-5428968-386

Fax:86-769-5380977

www.winbase.com.cn E-mail: sales@winbase.com.cn

• Specifications are subject to change without further notice.
• For more product information, Please visit our website.